


Table 406.2

How to meet the mark

1,501–5,000 sf homes (3.5 credits)



Opt	Description	Pts
3a or 3b	94 AFUE Gas Furnace or 9.0 HSPF heat pump	1.0
4	All ducts and furnace located inside the conditioned space	1.0
5a	Kitchen sink and showerheads \leq 1.75 GPM, lavatory faucets \leq 1.0 GPM	0.5
5b	Gas water heater \geq 0.74 EF	1.0
	Total	3.5



Table 406.2

How to meet the mark

1,501–5,000 sf homes (3.5 credits)



Opt	Description	Pts
1a	R-38 Floors and U-0.28 Windows	0.5
3a or 3b	94 AFUE Gas Furnace or 9.0 HSPF heat pump	1.0
5a	Kitchen sink and showerheads \leq 1.75 GPM, lavatory faucets \leq 1.0 GPM	0.5
5c	Gas water heater \geq 0.91 EF or Electric water heater \geq 2.0 EF	1.5
	Total	3.5



Table 406.2

How to meet the mark

1,501–5,000 sf homes (3.5 credits)






Opt	Description	Pts
1a	R-38 Floors and U-0.28 Windows	0.5
2a	Air leakage ≤ 3.0 ACH @ 50pa	0.5
3a or 3b	94 AFUE Gas Furnace or 9.0 HSPF heat pump	1.0
5a	Kitchen sink and showerheads ≤ 1.75 GPM, lavatory faucets ≤ 1.0 GPM	0.5
5b	Gas water heater ≥ 0.74 EF	1.0
	Total	3.5

Table 406.2

How to meet the mark

1,501–5,000 sf homes (3.5 credits)



Opt	Description	Pts
2a	Air leakage ≤ 3.0 ACH @ 50pa	0.5
3a or 3b	94 AFUE Gas Furnace or 9.0 HSPF heat pump	1.0
5a	Kitchen sink and showerheads ≤ 1.75 GPM, lavatory faucets ≤ 1.0 GPM	0.5
5c	Gas water heater ≥ 0.91 EF or Electric water heater ≥ 2.0 EF	1.5
	Total	3.5

Table 406.2

How to meet the mark

1,501–5,000 sf homes (3.5 credits)



Opt	Description	Pts
1a	R-38 Floors and U-0.28 Windows	0.5
3d	Ductless Heat Pump	1.0
5a	Kitchen sink and showerheads \leq 1.75 GPM, lavatory faucets \leq 1.0 GPM	0.5
5c	Electric water heater \geq 2.0 EF	1.5
	Total	3.5



Table 406.2

How to meet the mark

1,501–5,000 sf homes (3.5 credits)

Opt	Description	Pts
3a	92 AFUE Gas Boiler	1.0
4	All heating and cooling system components installed within the conditioned space. Electric resistance and ductless heat pumps not permitted under this option.	1.0
5c	Gas water heater ≥ 0.91 EF	1.5
	Total	3.5

