

Prescriptive Approach

Simple Form for the Washington State Energy Code (2004 edition) Climate Zone 1

July, 2005
WSUCEEP02-141

Effective 7/1/05

Funding for this form was provided by:
U.S. Department of Energy
Northwest Energy Efficiency Alliance

Washington State University
Extension Energy Program
925 Plum St. SE Bldg. #4
P.O. Box 43165
Olympia, WA 98504-3165



Copyright Restrictions

Copyright: Washington State University Extension Energy Program
[C] 2002

All other rights reserved.

**Prescriptive Approach – Simple Form
For the Washington State Energy Code (2004 Edition)
Climate Zone 1**

Site Information

Lot: _____
 Address: _____
 City: _____
 State: _____ Zip: _____
 Contact: _____
 Phone: _____
 Phone 2: _____
 Fax: _____

Building Department Use Only

Permit #: _____
 Notes: _____

**Table 6-1
PRESCRIPTIVE REQUIREMENTS^{0,1} FOR GROUP R-3 OCCUPANCY
CLIMATE ZONE 1
(Unlimited Glazing Option Only)**

Option	Glazing Area ¹⁰ % of Floor	Glazing U-Factor		Door ⁹ U-factor	Ceiling ²	Vaulted Ceiling ³	Wall Above Grade	Wall Int ⁴ Below Grade	Wall Ext ⁴ Below Grade	Floor ⁵	Slab ⁴ On Grade
		Vertical	Overhead ¹¹								
IV.	Unlimited Group R-3 Occupancy Only	0.40	0.58	0.20	R-38	R-30	R-21	R-21	R-10	R-30	R-10

See the code text for footnote references

This project complies with the following:

- ✓ The project is a single family residence or duplex.
- ✓ The project is wood frame OR all of the insulation is interior or exterior of the framing.
- ✓ All building components meet the requirements listed in Table 6-1, Option IV.
- ✓ The project will meet all other provisions of the WSEC and VIAQ.

The project will take advantage of the following exceptions to the prescriptive option:

- 602.6 Exception 1. One door, that is 24 ft.² or less, that does not meet the standards is allowed.

Location of the door taking this exception _____

- 602.6 Exception 2. Doors with a U-factor of 0.40 allowed without calculations, Option IV only.

Location of the door(s) taking this exception _____

*Copied by permission from the Washington State University Extension Energy Program
Copyright 2002*