SAFETY and INJURY PREVENTION CHECKLIST

School Name /	Date	
ID Location	Investigators	
General Facility ☐ Secure janitorial storage for cleaning equipment and chemicals ☐ Non-skid, non-absorbent floor surfaces in: ☐ Lavatories ☐ Locker rooms ☐ Shower rooms ☐ Laundries ☐ Janitorial closets ☐ Food service areas ☐ Water temperature provided to hand sinks and shower facilities does not exceed 120⑤-125⑤F		
 Master gas line shut-off in laboratories Master electrical shut-off in shops and laboratorie Trip and fall hazards removed or barricaded to study 		
 Lighting □ Excess glare from both natural and artificial sources is eliminated □ Adequate lighting maintained according to usage of area 		
Playground Safety ☐ Equipment is not cracked, bent, warped, rusted, or ☐ Open hooks, shackles, rings, links, etc. are not def ☐ Swing hangers and chains are not worn ☐ Swing seats are not missing, damaged, or loose; and ☐ Footings are not exposed, cracked, or loose in ground in the protection of t	formed d have rounded corners and edges und or caps nd covers riorated ng landing surface d crush points	

	Trip hazards such as roots, rocks, or other obstacles have been cleared
	Play area has good drainage to prevent standing water
	Playground supervisors have knowledge on first aid and CPR
St	udent Loading/Unloading
	Vehicular traffic flow is directed with adequate signs
	Bus loading and unloading areas do not conflict with parent drop-off and pick-up areas
	Pedestrians keep to sidewalks and crosswalks
	Loading and unloading is supervised
Su	ın Exposure
	Sun protection recommended to children who are outdoors between 10 a.m. and 4 p.m.
	Protective clothing (hats and long-sleeved shirts)
	Sun glasses
	Sunscreen (SPF-15 or higher)